

Tire Shine

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 05/21/2015

Supersedes: 01/01/2011

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Identifier

Product form: Liquid

Substance name: Tire Shine

CAS No.: Not applicable

Formula: Proprietary

Synonyms: None known

Intended Use Of The Product

Use of the substance/mixture: High Silicone exterior tire dressing

Name, Address, And Telephone Of The Responsible Party

FS Supply

PO Box 767

Union, MO 63084

(314) 540-9590

Emergency telephone number

Emergency number : 1.888.666.2159

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call Chemworks– Day or Night

SECTION 2: Hazards identification

Classification of the substance or mixture


GHS-US classification

Eye Irrit. 2A H319

Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning Flammable

Hazard statements (GHS-US) : P264 - Wash hands, forearms, and exposed areas thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, protective clothing, protective gloves.

Precautionary statements (GHS-US) P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Tire Shine

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P370+P378 - In case of fire: Use appropriate media for extinction.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P501 - Dispose of contents/container according to local, regional, national, and international regulations.

Other hazards

No additional information available

No data available

SECTION 3: Composition/information on ingredients Substances

Name	Product Identifier	%	GHS-US classification
IsoHeptane	(CAS No.) 63148-62-9	60.0	Eye Irrit. 2A, H319

Full text of H-phrases: see section 16

SECTION 4: First aid measures

Description of first aid measures

First-aid measures general: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

First-aid measures after skin contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

First-aid measures after eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid measures after ingestion: Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms/injuries: Eye irritation.

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: Causes serious eye irritation.

Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media: Dry chemical, alcohol foam, carbon dioxide.

Unsuitable extinguishing media: Do not use a heavy water stream. A heavy water stream may spread burning liquid.

Special hazards arising from the substance or mixture

Fire hazard: None known.

Explosion hazard: Product will not explode.

Reactivity: Reacts with acids and oxidizers.

Advice for firefighters

Firefighting instructions: Exercise caution when fighting any chemical fire.

Protection during firefighting: Firefighters should wear full protective gear. Do not enter fire area without proper protective equipment, including respiratory protection.

Tire Shine

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures: Avoid breathing (vapor, mist). Use only outdoors or in a well-ventilated area. Handle in accordance with good industrial hygiene and safety practice.

For non-emergency personnel

Protective equipment: Use appropriate personal protection equipment (PPE).

Emergency procedures: Evacuate unnecessary personnel.

For emergency responders

Protective equipment: Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

Emergency procedures: Ventilate area.

Environmental precautions

Prevent entry to sewers and public waters.

Methods and material for containment and cleaning up

For containment: Absorb and/or contain spill with inert material, then place in suitable container.

Methods for cleaning up: Clear up spills immediately and dispose of waste safely.

Reference to other sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed: Handle empty containers with care because residue.

Precautions for safe handling: Use in a well-ventilated area. Wear recommended personal protective equipment. **Hygiene measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for safe storage, including any incompatibilities

Technical measures: None known.

Storage conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible products: Strong acids. Strong bases. Strong oxidizers.

Incompatible materials: None known.

Storage area: Keep in cool area.

Special rules on packaging: None known.

Specific end use(s)

High Silicone Exterior Dressing

SECTION 8: Exposure controls/personal protection

Control parameters

IsoHeptane (CAS No.) 110-54-3		
USA ACGIH	ACGIH TWA (ppm)	500 ppm
USA ACGIH	ACGIH STEL (ppm)	750 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	590 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	250 ppm
USA IDLH	US IDLH (ppm)	2500 ppm (10% LEL)
USA OSHA	OSHA PEL (TWA) (mg/m ³)	2400 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

Tire Shine

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Exposure controls

Appropriate engineering controls : Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases/vapours may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment : Fireproof clothing. Insufficient ventilation: wear respiratory protection. Protective goggles. Gloves.



Hand protection : Wear chemically resistant protective gloves.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear water proof clothing.

Respiratory protection : If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Thermal hazard protection : Wear suitable protective clothing.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	: Liquid.
Appearance	: Clear Liquid.
Colour	: Blue.
Odour	: Fruity
Odour threshold	: No data available
pH	: 7.0
Relative evaporation rate (butylacetate=1)	: 1
Melting point	: Not applicable.
Freezing point	: No data available
Boiling point	: 50.47 °C (212.0°F) at 1617.56 hPa
Flash Point	: 73.88 °C (165°F)
Auto-ignition temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 233 hPa (at 20 °C)
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.7845 g/cm ³ (at 25 °C)
Solubility	: Incomplete.
Log Pow	: No data available
Log Kow	: -0.26
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 0.38 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity Reacts with acids and oxidizers.

Chemical Stability Stable under recommended handling and storage conditions (see section 7).

Possibility Of Hazardous Reactions The substance can form explosive peroxides on contact with strong oxidants such as acetic acid, nitric acid, hydrogen peroxide.

Tire Shine

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Conditions To Avoid Extremely high or low temperatures.

Incompatible Materials Strong acids. Strong oxidizers.

Hazardous Decomposition Products None known.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity : Not classified

IsoHeptane (CAS No.) 110-54-3	
LD50 oral rat	5800 mg/kg
LD50 dermal rabbit	15688 mg/kg
LC50 inhalation rat (mg/l)	76000 mg/m ³

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/irritation: Causes eye irritation.

Respiratory or skin sensitisation: Not classified

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive toxicity: Not classified

Specific target organ toxicity (single exposure): May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure): Not classified

Aspiration hazard: Not classified

Symptoms/injuries after inhalation: May cause drowsiness or dizziness.

Symptoms/injuries after eye contact: Causes serious eye irritation.

Symptoms/injuries after ingestion: Ingestion may cause nausea, vomiting and diarrhea.

SECTION 12: Ecological information

Toxicity

IsoHeptane (110-54-3)	
LC50 fishes 1	8144.846 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1	2679.66 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2	6210 - 8120 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	12600 - 12700 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Persistence and degradability

IsoHeptane (110-54-3)	
Persistence and degradability	Readily biodegradable in water. Not established.

Bioaccumulative potential

IsoHeptane (110-54-3)	
BCF fish 1	1.69
Log Kow	-0.24
Bioaccumulative potential	Not established.

Mobility in soil

No additional information available

Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

Waste treatment methods

Regional legislation (waste): U.S. - RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Appendix VII. U.S. - RCRA (Resource Conservation & Recovery Act) - Constituents for Detection Monitoring. U.S. - RCRA (Resource Conservation & Recovery Act) - List for Hazardous Constituents. U.S. - RCRA (Resource Conservation & Recovery Act) - Phase 4 LDR Rule - Universal Treatment Standards. U.S. - RCRA (Resource Conservation & Recovery Act) - TSD Facilities Ground Water Monitoring. U.S. - RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Acutely Toxic Wastes & Other Hazardous Characteristics.

Tire Shine

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Waste disposal recommendations: To be disposed of as non hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information: Handle empty containers with care for residue.

SECTION 14: Transport information

In accordance with ICAO/IATA/DOT/TDG

UN number

UN-No.(DOT) : 1268

DOT NA no. : 1268

UN proper shipping name

Department of Transportation (DOT) : Petroleum Distillates.

Hazard Classes : 3

Hazard labels (DOT) : Flammable

Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2);
T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)

DOT Packaging Exceptions (49 CFR 173.xxx) : 150

DOT Packaging Non Bulk (49 CFR 173.xxx) : 202

DOT Packaging Bulk (49 CFR 173.xxx) : 242

Additional information

Emergency Response Guide (ERG) Number : 127

Other information : No supplementary information available.

Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

MFAG-No. : 127

Air transport

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : None

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : None

SECTION 15: Regulatory information

US Federal regulations

IsoHeptane (110-54-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

Tire Shine

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

US State regulations

IsoHeptane (110-54-3)	
State or local regulations	U.S. - Massachusetts - Right To Know List U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Indication of changes : 05/21/2015

Other information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
H319	Causes eye irritation
H336	May cause drowsiness or dizziness

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 3 - Fire hazard.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive



HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 3 Extreme Hazard

Physical : 0 Minimal Hazard

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom) - US Only